

# Certificate

## Specific Assessment for Materials as per Pressure Equipment (Safety) Regulations 2016 No. 1105 Amended Schedule 2, Part 4, Clause 31 (8).

TÜV UK Limited hereby confirms as a result of the assessment that the organisation

**AMBICA STEELS LIMITED**  
**Unit 1: 51/2, Site-IV, Industrial Area, Sahibabad,**  
**Ghaziabad – 201 010,**  
**Uttar Pradesh,**  
**India.**

Has successfully undergone a specific assessment for materials manufacture under the requirement of the Pressure Equipment (Safety) Regulations 2016 No. 1105 Amended. The Material Manufacturer has implemented, operates and maintains a Quality Assurance System in accordance with Schedule 2, Part 4, Clause 31 (8).

**AMBICA STEELS LIMITED** are authorised to issue certificates of specific product control, within the scope of assessment as shown in Annex A.

Certificate Registration No. **0879-PESR-31(8)-25615-IN.**  
Audit Report No. 25615-SAM-IF-01.

Effective date 08-01-2026  
Valid until **31-07-2027**  
Initial certification 08-01-2026

London, **22/01/2026**



TÜV UK Limited

This certificate, which remains the property of TÜV UK Ltd, was issued in accordance with the TÜV UK Ltd auditing and certification procedures as amended from time to time and its validity is subject to regular surveillance audits under the requirement of the Pressure Equipment (Safety) Regulations 2016 No. 1105 Amended providing certificates are not withdrawn or expired.

**Company**  
TÜV UK Ltd. AMP House, Suites  
27 – 29, Fifth Floor, Dingwall  
Road, Croydon, CR0 2LX  
tuv-nord.com/uk

# Annex A Page 1 of 3

to Certificate Registration No. 0879-PESR-31(8)-25615-IN.

**Specific Assessment for Materials as per  
Pressure Equipment (Safety) Regulations 2016 No. 1105 Amended  
Schedule 2, Part 4, Clause 31 (8).**

Places of Manufacture:-

**AMBICA STEELS LIMITED, Uttar Pradesh, India**

1. Unit 1: 51/2, Site-IV, Loni Road Industrial Area, Mohan Nagar, Ghaziabad – 201 010.
2. Unit 2: Plot No. 32, Site-IV, Industrial Area, Sahibabad, Ghaziabad – 201 007
3. Unit 4: Plot No. C-11, Bulandshahr Road Industrial Area, Sahibabad, Ghaziabad – 201 009.

<b>Certification Body</b>	TÜV NORD CERT GmbH Am TÜV 1 45307 Essen, Germany.	<b>Certificate No.</b>	44 100 020843
<b>Scope of Approval</b>	Hot and Cold Finished Rolled Products. (No welding)		
<b>Materials (Steels)</b>	Austenitic and Duplex Stainless Steels		

Material Specification	Grades	Delivery Condition
EN 10272	X5CrNi18-10 (1.4301), X2CrNi18-9 (1.4307), X5CrNiMo17-12-2 (1.4401), X2CrNiMo17-12-2 (1.4404), X6CrNiMoTi 17-12-2 (1.4571), X2CrNiMo18-14-3 (1.4435), X6CrNiTi 18-10 (1.4541), X2CrNiMoN 22-5-3 (1.4462), X2CrNiMoN 27-7-4 (1.4410).	Solution Annealed <sup>(1)(2)(3)(4)(5)(6)</sup>
EN 10269	X5CrNi18-10 (1.4301), X2CrNi18-9 (1.4307), X5CrNiMo17-12-2 (1.4401), X2CrNiMo17-12-2 (1.4404).	Solution Annealed <sup>(1)(2)(3)(4)(5)(6)</sup>
EN 10272	X2CrNi18-9 (1.4307), X5CrNiMo17-12-2 (1.4401)	Solution Annealed <sup>(7)</sup>
TUV-Verband Werk 418	X2CrNiMoN 22-5-3 (1.4462)	Solution Annealed <sup>(8)</sup>

<b>Remarks</b>	<ul style="list-style-type: none"> <li>(1) Round bars - 5mm to 125mm, Max Weight 96 kg/m.</li> <li>(2) RCS - 50mm to 115mm, Max Weight 104 kg/m.</li> <li>(3) Squares - 12mm to 42mm, Max Weight 13.86 kg/m.</li> <li>(4) Hexagons - 12mm to 67mm, Max Weight 35 kg/m.</li> <li>(5) Flats - 40mm x 40mm to 25 x 100mm, Max Weight 30.38 kg/m.</li> <li>(6) Angles - 20mm x 20mm x 3mm to 100mm x 100mm x 20mm, Max Weight 28.26 kg/m.</li> <li>(7) Wire Rod (As Coil) - 5mm to 20mm, Max Weight 2.46 kg/m.</li> <li>(8) Bars - Up to 110mm max.</li> </ul>
----------------	--

This annex is only valid with an in-date quality management system.

**Company**  
TÜV UK Ltd. AMP House, Suites  
27 - 29, Fifth Floor, Dingwall  
Road, Croydon, CR0 2LX  
tuv-nord.com/uk

# Annex A Page 2 of 3

to Certificate Registration No. 0879-PESR-31(8)-25615-IN.

**Scope of Approval**  
**Materials (Steels)**

**Hot and Cold Finished Rolled Products. (No welding)**

**Austenitic and Duplex Stainless Steels**

Material Specification	Grades	Delivery Condition
EN 10272	X5CrNi18-10 (1.4301), X2CrNi18-9 (1.4307), X5CrNiMo17-12-2 (1.4401), X2CrNiMo17-12-2 (1.4404), X6CrNiMoTi 17-12-2 (1.4571), X2CrNiMo18-14-3 (1.4435), X6CrNiTi 18-10 (1.4541), X2CrNiMoN 22-5-3 (1.4462), X2CrNiMoN 27-7-4 (1.4410).	Solution Annealed & Cold Drawn <sup>(1)(2)(3)(4)(5)(6)</sup>
EN 10269	X5CrNi18-10 (1.4301), X2CrNi18-9 (1.4307), X5CrNiMo17-12-2 (1.4401), X2CrNiMo17-12-2 (1.4404).	Solution Annealed & Cold Drawn <sup>(1)(2)(3)(4)(5)(6)</sup>
EN 10272	X5CrNi18-10 (1.4301), X2CrNi18-9 (1.4307), X5CrNiMo17-12-2 (1.4401), X2CrNiMo17-12-2 (1.4404), X6CrNiMoTi 17-12-2 (1.4571), X2CrNiMo18-14-3 (1.4435), X6CrNiTi 18-10 (1.4541), X2CrNiMoN 22-5-3 (1.4462), X2CrNiMoN 27-7-4 (1.4410).	Cold Drawn <sup>(1)(2)(3)(4)(5)(6)</sup>
EN 10269	X5CrNi18-10 (1.4301), X2CrNi18-9 (1.4307), X5CrNiMo17-12-2 (1.4401), X2CrNiMo17-12-2 (1.4404).	Cold Drawn <sup>(1)(2)(3)(4)(5)(6)</sup>

**Remarks**

- (1) Round bars - 5mm to 125mm, Max Weight 96 kg/m.
- (2) RCS - 50mm to 115mm, Max Weight 104 kg/m.
- (3) Squares - 12mm to 42mm, Max Weight 13.86 kg/m.
- (4) Hexagons - 12mm to 67mm, Max Weight 35 kg/m.
- (5) Flats - 40mm x 40mm to 25 x 100mm, Max Weight 30.38 kg/m.
- (6) Angles - 20mm x 20mm x 3mm to 100mm x 100mm x 20mm, Max Weight 28.26 kg/m.

This annex is only valid with an in-date quality management system.

**Company**

TÜV UK Ltd. AMP House, Suites  
27 - 29, Fifth Floor, Dingwall  
Road, Croydon, CR0 2LX  
tuv-nord.com/uk

# Annex A Page 3 of 3

to Certificate Registration No. 0879-PESR-31(8)-25615-IN.

**Scope of Approval**  
**Materials (Steels)**

**Hot and Cold Finished Rolled Products. (No welding)**

**Austenitic and Duplex Stainless Steels.**

Material Specification	Grades	Delivery Condition
EN 10088, EN 10095	X5CrNi18-10 (1.4301), X2CrNi18-9 (1.4307), X5CrNiMo17-12-2 (1.4401), X2CrNiMo17-12-2 (1.4404), X2CrNiMo18-14-3 (1.4435), X6CrNiTi 18-10 (1.4541), X2CrNiMoN 22-5-3 (1.4462), X6CrNiMoTi 17-12-2 (1.4571), X2CrNiN 23-4 (1.4362), X2CrNiMoN 27-7-4 (1.4410), X6CrNiNb 18-10 (1.4550), X5CrNiCuNb 16-4 (1.4542), X17CrNi 16-2 (1.4057), X12CrSi 13 (1.4405), X12Cr 13 (1.4006), X10CrAlSi 7 (1.4713).	Untreated <sup>(1)(2)(3)(4)(5)(6)(9)(10)(11)</sup>
Information	F-304H, F-317L, F-347, F-321H, F-9	Untreated <sup>(9)(10)(11)</sup>
ASTM A182, ASTM A276, ASTM A479, ASTM A564, ASTM A582	416, 17-4Ph, 431, 304/304L, 316/316L, 321, 316Ti, F-304, F-304L, F-316, F316L	Untreated <sup>(1)(2)(3)(4)(5)(6)(9)(10)(11)</sup>

**Remarks**

- (1) Round Bars - 5mm to 125mm, Max Weight 96 kg/m.
- (2) RCS - 50mm to 115mm, Max Weight 104 kg/m.
- (3) Squares - 12mm to 42mm, Max Weight 13.86 kg/m.
- (4) Hexagons - 12mm to 67mm, Max Weight 35 kg/m.
- (5) Flats - 40mm x 40mm to 25 x 100mm, Max Weight 30.38 kg/m.
- (6) Angles - 20mm x 20mm x 3mm to 100mm x 100mm x 20mm, Max Weight 28.26 kg/m.
- (9) Round Ingots - 400mm to 600mm, Max Weight 5.4 Tonnes.
- (10) Square/Fluted Ingots - 10" x 12" to 48" x 58", Max Weight 22 Tonnes.
- (11) Billets - 100mm x 100mm to 220mm x 250mm, Weight 112 kg/m to 429 kg/m.

This annex is only valid with an in-date quality management system.

**End of the List**



London, 22-01-2026

TÜV UK Limited

**Company**

TÜV UK Ltd. AMP House, Suites  
27 - 29, Fifth Floor, Dingwall  
Road, Croydon, CR0 2LX  
tuv-nord.com/uk